

# HLXS.EX15412 - Butterfly Valves

## Butterfly Valves

**RAPIDROP GLOBAL LTD**  
 RUTLAND BUSINESS PARK  
 NEWARK RD  
 PETERBOROUGH, PE1 5WA United Kingdom

EX15412


Model	Size, NPS	Body Type	Pressure Rating, psig (Bar)	Indicator Post	Supervisory Switch*
<b>Butterfly valve</b>					
Fig 221	2.5, 3, 4, 5, 5 (139.7 mm OD), 6, 6 (165.1 mm OD)	Groove	300	—	I/O
	8, 8 (216.3 mm OD), 10, 10 (267.4 mm OD)			—	I/O
	12, 12 (318.4 mm OD)			—	I/O
Fig 220	2.5, 3, 4, 5, 6	Wafer	300	—	I/O
	8, 10			—	I/O
	12			—	I/O
Fig.215	2, 2.5, 3, 4, 5, 6, 8	Wafer	300	N/A	I/O
Fig.216	2, 2.5, 2.5(76.1mm), 3, 4, 5, 5(139.7mm), 6, 6(165.1mm) 8, 10, 12	Groove	300	N/A	I/O
Fig.217	2,2.5,3,4,5,6, 8	Lug	300	N/A	I/O
Fig.217 PN16	2, 2.5, 3, 4, 5, 6, 8	Lug	300	N/A	I/O
	10, 12		250		
Fig.202	1, 1-1/4, 1-1/2, 2	Threaded	175	N/A	I/O
Fig.212	2.5,2.5(76.1mm)3,4,5(139.7mm),5, 6(165.1mm),6,8,10,12	Groove	300	—	I, O
			250		
			200		
Fig.213	2.5,3,4,5,6,8,10,12	Wafer	300	—	I, O
			250		
			200		
Fig.214	2, 2.5, 3, 4, 5, 6, 8, 10, 12	Lug	300	N/A	I/O

Fig.214	2,3,3,4,5,6,8,10,12	Lug	300	—	I, O
			250		
			200		
Fig.206	1-1/2, 2, 2-1/2	Threaded	175	—	I, O
Fig.205	1-1/2, 2, 2-1/2	Threaded	175	—	I, O
Fig.208	2, 2-1/2	Grooved	175	—	I, O
Fig.207	2, 2-1/2	Grooved	175	—	I, O

\* I = Indoor installation; O = Outdoor installation

Note:

F-Flange, G-Groove

Trademark and/or Tradename:  "Rapidrop"

Last Updated on 2022-09-06

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."